

# FreeSpan™ Straight-Rail Gantry

Straight-Rail or Traverse options



Exclusively Distributed by:



# Straight-rail or Traverse – the choice is yours.


FreeSpan™ SR (straight-rail) is a flexible alternative for most overhead-lift situations. The lift system is freestanding, and since it is not affixed to the walls or the ceiling, there are no special strength requirements for those structures.

FreeSpan™ SR is made of aluminium and many different rail lengths are available. Choose between using Multirail™ or Likorail™ lift units. FreeSpan™ SR is assembled without tools and is equipped with wheels, which facilitate positioning.

The wheels also make the lift system easy to move between different rooms.

FreeSpan™ is also available in a traverse-model: FreeSpan™ Traverse, a unique, freestanding system that enables lifting and transfer of patients between many different lifting points.

## Technical specifications, measurements



Mod	Max load <sup>1</sup>	A*	A** min	L	B	C	D	E	Weight tot	Weight part***
15	250	2250-2550	1700	1500	1990-2440	135	75	1240	41,5	15,7
20	250	2250-2550	1700	2000	2490-2940	135	75	1240	44,3	18,5
25	250	2250-2550	1700	2500	2990-3440	135	75	1240	47,1	21,3
30	250	2250-2550	1700	3000	3490-3940	135	75	1240	50,0	24,2
35	250	2250-2550	1700	3500	3990-4440	135	75	1240	52,8	27,0
40	230	2250-2550	1700	4000	4490-4940	135	75	1240	55,6	29,8
45	200	2250-2550	1700	4500	4990-5440	135	75	1240	58,4	32,6
50	200	2250-2550	1700	5000	5490-5940	135	75	1240	61,3	35,5

Capacity and Weight in kg. Measurements in mm.

<sup>1</sup> Note that the length of the rail is the determining factor for the maximum load of the FreeSpan... system, see marking on the rail!

\* The height of the FreeSpan... is adjusted in steps of (10 cm/4 inches).

\*\* Note that the lowest working height for FreeSpan... is 2250 mm. The 1700 mm height is intended only for transport, not for lifting or transferring patients.

\*\*\* The weight of the heaviest part of the FreeSpan... system, when disassembled.

This document is destined solely for use by healthcare professionals. Medical devices shown in this brochure are intended for use with patients in departments of healthcare establishments.



These medical devices bear the CE mark and comply with all applicable regulations. Aidacare recommends you carefully read the detailed instructions for safe and proper use included in the documents accompanying the medical devices. The personnel of the healthcare establishments are responsible for the proper use and maintenance of these medical devices.

Aidacare reserves the right to make changes without notice in design, specifications and models. The only warranty Aidacare makes is the express written warranty extended on the sale or rental of its products.

©2018 Aidacare Services, Inc. ALL RIGHTS RESERVED.

[www.aidacare.com.au](http://www.aidacare.com.au)

AFY147 240419

Exclusively Distributed by:

